

Page 1 of 10



STEARNS

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS HCS 2012

Trade name: Valley View Extra-Strength Ammonia

1 Identification of the substance/mixture and of the company/undertaking

• 1.1 Product identifier

• Trade name: Valley View Extra-Strength Ammonia ST-0049, ST-0069

Article number: WL90

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

• Application of the substance / the preparation Window and general purpose cleaner

• 1.3 Details of the supplier of the Safety Data Sheet

Stearns Packaging Corporation 4200 Sycamore Avenue (53714)

PO Box 3216

Madison, WI 53704-0216 Phone: 800-655-5008

Email: stearns@stearnspkg.com Website: www.stearnspkg.com

• 1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

2 Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS05

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xi; Irritant

R36/38: Irritating to eyes and skin

• Information concerning particular hazards for human and environment:

The product has to be labeled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

(Contd. on page 2)

Trade name: Valley View Extra-Strength Ammonia

· Classification system:

(Contd. from page 1)

The classification is according to the latest editions of the EU-lists, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

- 2.2 Label elements
- Labeling according to Regulation (EC) No 1272/2008
 The product is classified and labeled according to the CLP regulation.
- · Hazard pictograms



GHS07

- · Signal word Danger
- Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye idamage

Precautionary statements

P280 Wear protective gloves / eve protection.

P264 Wash hands thoroughly after handling.

P305+P351+P338+ P337+P313: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center / doctor. P302+P362+P362+P362+P313: IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

3 Composition/information on ingredients

- 3.2 Mixtures
- Description: Mixture of substances listed below with nonhazardous additions.

| Dangerous components: | | |
|-----------------------|---|-----|
| CAS: 1336-21-6 | ammonium hydroxide | <4% |
| | Xn R36/37/38, R22 Skin Corr. 1C, H314, Eye Dam. 1, H318 Acute Tox, Oral, 4, H302, STOT-SE 3, H335 | |

• Additional information: For the wording of the listed risk phrases refer to section 16.

Trade name: Valley View Extra-Strength Ammonia

(Contd. from page 2)

4 First-aid measures

- 4.1 Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

After eve contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

Cramp

Nausea

Thirst

Coughing

Allergic reactions

- · Hazards No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

Treat skin and mucous membrane with antihistamine and corticoid preparations.

In cases of irritation to the lungs, initial treatment with cortical steroid inhalants.

Medical supervision for at least 48 hours.

If swallowed, gastric irrigation.

5 Fire-fighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information No further relevant information available.

6 Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Product forms slippery surface when combined with water.

6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

Trade name: Valley View Extra-Strength Ammonia

(Contd. from page 3)

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:

Keep container tightly sealed.

Protect from freezing.

• 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- DNELs No further relevant information available.
- PNECs No further relevant information available.
- Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device when high concentrations are present.

(Contd. on page 5)

Trade name: Valley View Extra-Strength Ammonia

(Contd. from page 4)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Safety glasses

- · Body protection: None required.
- · Limitation and supervision of exposure into the environment

No further relevant information available.

Risk management measures

See Section 7 for additional information.

No further relevant information available.

9 Physical and chemical properties

| • 9.1 Information on basic physical and che | emical properties | |
|---|---------------------------|--|
| General Information | | |
| Appearance: | | |
| Form: | Liquid | |
| Color: | Clear blue | |
| Odor: | Strong ammonia odor | |
| Odor threshold: | Not determined. | |
| • pH-value at 20 °C: | 9.7 ± 0.5 for concentrate | |
| Change in condition | | |
| Melting point/Melting range: | Undetermined. | |
| Boiling point/Boiling range: | >212 °F / >100 °C | |
| Flash point: | >212 °F / >100 °C | |
| Flammability (solid, gaseous): | Not determined. | |
| Ignition temperature: | Not determined. | |

(Contd. on page 6)

Trade name: Valley View Extra-Strength Ammonia

(Contd. from page 5)

| Decomposition temperature: | Not determined. | |
|----------------------------------|---|--|
| Self-igniting: | Product is not self-igniting. | |
| Danger of explosion: | Product does not present an explosion hazard. | |
| Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Vapor pressure at 20 °C: | Not applicable. | |
| Density at 20 °C: | 0.996 g/cm³ | |
| Relative density | Not determined. | |
| Vapor density | Not applicable. | |
| Evaporation rate | Not applicable. | |
| Solubility in / Miscibility with | • • • • • • • • • • • • • • • • • • • | |
| water: | Fully miscible. | |
| Partition coefficient | | |
| (n-octanol/water): | Not determined. | |
| Viscosity: | | |
| Dynamic: | Not applicable. | |
| Kinematic: | Not applicable. | |
| Solvent content: | | |
| Organic solvents: | 0% | |
| Water: | 96% | |
| 9.2 Other information | No further relevant information available. | |

10 Stability and reactivity

- 10.1 Reactivity Not determined.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong acids and alkali.

Reacts with strong oxidizing agents.

- 10.5 Incompatible materials: Strong oxidizing agents.
- 10.6 Hazardous decomposition products:

Sulphur oxides (SOx)

Carbon monoxide and carbon dioxide

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS HCS 2012

Trade name: Valley View Extra-Strength Ammonia

11 Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity:

| Product ingredient name | Result | Species | Dose |
|-------------------------|-----------|---------|-----------|
| Ammonium hydroxide | Oral LD50 | Rat | 350 mg/kg |

- · Primary irritant effect:
- on the skin: Corrosive to skin and mucous membranes.
- on the eye: Corrosive effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

12 Ecological information

- 12.1 Toxicity
- Aquatic toxicity: The product contains materials that are harmful to the environment.
- 12.2 Persistence and degradability The product is biodegradable.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

This statement was deduced from the properties of the single components.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- 12,5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

- 13.1 Waste treatment methods
- Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS HCS 2012

Trade name: Valley View Extra-Strength Ammonia

(Contd. from page 7)

| 14 Transport information | | |
|--|----------------------------------|--|
| • 14.1 UN-Number • DOT, ADR, ADN, IMDG, IATA | N/A | |
| 14.2 UN proper shipping nameDOT, ADR, ADN, IMDG, IATA | Cleaning Compounds, NOI, liquid. | |
| • 14.3 Transport hazard class(es) | | |
| • DOT | | |
| • Class | N/A | |
| • 14.4 Packing group • DOT, ADR, IMDG, IATA | N/A | |
| • 14.5 Environmental hazards: | | |
| Marine pollutant: | No | |
| 14.6 Special precautions for user | Not applicable. | |
| • 14.7 Transport in bulk according to Annex II of | | |
| MARPOL73/78 and the IBC Code | Not applicable. | |
| UN "Model Regulation": | Cleaning Compounds, NOI, liquid. | |

15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- SARA

| Section 311-312 (hazardous classifications): | | | | |
|--|---------------------------------|--|--|--|
| ammonium hydroxide | immediate (acute) health hazard | | | |

• Section 313 (Specific toxic chemical listings):

Not applicable

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

- Proposition 65 (California):
- · Chemicals known to cause cancer:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Trade name: Valley View Extra-Strength Ammonia

(Contd. from page 8)

- Chemicals known to cause reproductive toxicity for males:
- None of the ingredients is listed.
- · Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic Categories
- EPA (Environmental Protection Agency)

None of the ingredients is listed.

• IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- Canada
- Canadian Domestic Substances List (DSL)

All ingredients are listed.

Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

Canadian Ingredient Disclosure list (limit 1%)

Not applicable

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage H335 May cause respiratory irritation

.

R36/38 Irritating to eyes and skin.
R37 Irritating to respiratory system

R22 Harmful if swallowed

Trade name: Valley View Extra-Strength Ammonia

• NFPA ratings (scale 0 - 4)

(Contd. from page 9)



Health = 2

Fire = 0

Reactivity = 0

SDS File Name: WL90 VV EXTRA-STRENGTH AMMONIA SDS

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LD50: Lethal dose, 50 percent

Sources

SDS Prepared by:

JBE/JER

Revision: 03/25/2015

Revision: 03/25/2015
Steams Packaging Corporation makes no warranty, representation or guarantee as to the accuracy, sufficiency or completeness of the malerial set forth herein. It is the user's responsibility to determine the safety, toxicity and suitability of his own use, handling and disposal of this product. Since actual use by others is beyond our control, no warranty, expressed or impled, is made by Steams Packaging Corporation as to the effects of such use, the results to be obtained or the safety and toxicity of this product, nor does Steams Packaging Corporation assume any liability arising out of the use by others of this product referred to herein. The data in this SDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Steams Packaging Corporation does not recommend blending this product with any other chemicals. All information, recommendations and data contained herein concerning this product are based upon information available at the time of writing from recognized technical sources.