

# SAFETY DATA SHEET Thaw Master

Page: 1 Printed: 12/31/2013

Revision: 12/26/2013

# EC50IC

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product Code:

980-0050

Product Name:

Thaw Master

Company Name:

Eau Claire Coop Oil Company

P.O. Box 837

Eau Claire, WI 54702

**Emergency Contact:** 

Chemtrec

(800)424-9300

Information:

Product Related

(715)876-6422

Part Number:

980-0100, 980-0500, 980-1000, 980-2000

# 2. HAZARDS IDENTIFICATION

Serious Eye Damage/Eye Irritation, Category 2A



**GHS Signal Word:** 

Warning

**GHS Hazard Phrases:** 

Causes serious eye irritation.

**GHS Precaution Phrases:** 

Wash hands thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

**GHS Response Phrases:** 

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

If eye irritation persists, get medical advice/attention.

**GHS Storage and Disposal** 

Phrases:

No phrases apply.

Hazard Rating System:



Potential Health Effects (Acute and Chronic):

Inhalation:

May be harmful if inhaled.

Skin Contact:

May cause skin irritation. May be harmful if absorbed through the skin. Contact with eyes may cause severe irritation, and possible eye burns.

Eye Contact: Ingestion:

May cause irritation of the digestive tract. May be harmful if swallowed.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS#	AS # Hazardous Components (Chemical Name)	
7647-14-5	Sodium chloride	85 - 96 %
10043-52-4	Calcium chloride	3.0 - 10 %
7791-18-6	Magnesium chloride	1.0 - 10 %



# SAFETY DATA SHEET Thaw Master

Page: 2

Printed: 12/31/2013 Revision: 12/26/2013

## 4. FIRST AID MEASURES

**Emergency and First Aid** 

Procedures:

Remove from exposure and move to fresh air immediately. If breathing is difficult, give

In Case of Inhalation: oxygen. Get medical aid if cough or other symptoms appear. Get medical aid

immediately.

In Case of Skin Contact: Flush skin with plenty of water for at least 15 minutes while removing contaminated

clothing and shoes. Get medical aid if irritation develops or persists. Get medical aid.

Wash clothing before reuse.

In Case of Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and

lower eyelids. If irritation develops, get medical aid.

In Case of Ingestion: Get medical aid if irritation or symptoms occur. Never give anything by mouth to an

unconscious person.

Note to Physician: Treat symptomatically and supportively.

### 5. FIRE FIGHTING MEASURES

Flash Pt:

No data.

**Explosive Limits:** 

LEL: No data.

UEL: No data.

**Autoignition Pt:** 

No data.

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or chemical foam.

Fire Fighting Instructions:

Wear appropriate protective clothing to prevent contact with skin and eyes. Wear a

self-contained breathing apparatus (SCBA) to prevent contact with thermal

decomposition products. May be combustible at high temperatures. As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or

equivalent), and full protective gear. Material will not burn.

Flammable Properties and

Hazards:

No data available.

## ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Material Is Released Or

Spilled:

Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Avoid generating dusty conditions. Provide ventilation. Do not let this chemical enter the environment. Clean up spills immediately, observing precautions in the Protective

Equipment section.

# 7. HANDLING AND STORAGE

Precautions To Be Taken in

Handling:

Use with adequate ventilation. Minimize dust generation and accumulation. Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation. Wash thoroughly after handling. Keep container tightly closed. Do not get on skin or in eyes. Do not ingest or inhale. Wash clothing before reuse. Always use cool water when dissolving calcium chloride. Heat evolved is significant.

Precautions To Be Taken in

Storing:

Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Store protected from moisture.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Licensed to EC Grow, Inc. **GHS** format



# SAFETY DATA SHEET

Thaw Master

Page: 3 Printed: 12/31/2013 Revision: 12/26/2013

CAS# **Partial Chemical Name OSHA TWA ACGIH TWA** Other Limits 7647-14-5 Sodium chloride No data. PEL: Nuisance Dust:15 mg/m3 TLV: Nuisance Dust:10 Total; 5mg/m3 Respirable mg/m3 Inhalable; 3 mg/m3 Respirable 10043-52-4 Calcium chloride PEL: Nuisance Dust:15 mg/m3 TLV: Nuisance Dust:10 No data. Total; 5mg/m3 Respirable mg/m3 Inhalable; 3 mg/m3 Respirable No data. 7791-18-6 No data. Magnesium chloride No data.

Respiratory Equipment

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European

(Specify Type):

Standard EN 149.

Eye Protection:

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Protective Gloves:** 

Wear appropriate protective gloves to prevent skin exposure.

**Engineering Controls** 

Other Protective Clothing:

Wear appropriate protective clothing to prevent skin exposure.

(Ventilation etc.):

Facilities storing or utilizing this material should be equipped with an eyewash facility and

a safety shower. Use adequate ventilation to keep airborne concentrations low. Good

general ventilation should be sufficient to control airborne levels.

Work/Hygienic/Maintenance

Wash promptly with soap and water if skin becomes contaminated. Change work

clothing daily if there is any possibility of contamination.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States: [ ] Gas [ ] Liquid [X] Solid Appearance: Lime Green. Crystals.

Appearance and Odor:

No data.

**Boiling Point:** 

No data.

**Autoignition Pt:** Flash Pt:

**Melting Point:** 

Practices:

No data.

No data.

**Explosive Limits:** 

LEL: No data.

UEL: No data.

Specific Gravity (Water = 1): No data. Vapor Pressure (vs. Air or

mm Hg):

No data.

Vapor Density (vs. Air = 1):

No data.

**Evaporation Rate:** 

No data.

Solubility in Water:

No data.

Percent Volatile:

No data.

# 10. STABILITY AND REACTIVITY

Stability: Unstable [ ] Stable [X]

Conditions To Avoid -

Instability:

High temperatures, Incompatible materials, dust generation, Exposure to moist air or

Incompatibility - Materials To Metals. Strong oxidizing agents, Strong acids, bromine trifluoride, nitrogen compounds,

Avoid:

Furan-2-peroxycarboxylic acid. Solutions attack some metals, attacks metals in the

presence of moisture.

Hazardous Decomposition Or Hydrogen chloride, sodium oxide. Calcium oxide, chlorine.

Byproducts:

Possibility of Hazardous

Will occur [ ] Will not occur [X]

Reactions:

Conditions To Avoid -

No data available.

Hazardous Reactions:



# SAFETY DATA SHEET Thaw Master

Page: 4

Printed: 12/31/2013 Revision: 12/26/2013

## 11. TOXICOLOGICAL INFORMATION

Toxicological Information:

Epidemiology: The only adverse effect noted from occupational exposures have been

mild nasal irritation with exposure to high dust levels and hypertension.

Teratogenicity: No information available, Reproductive Effects; No information found.

Neurotoxicity: Mutagenic effects have occurred in experimental animals.

CAS# 7647-14-5; Sodium chloride:

Carcinogenicity/Other Information:

Acute toxicity, LD50, Oral, Rat, 3000. MG/KG.

Results:

Skin and Appendages: Skin: After systemic exposure: Dermatitis, other.

Acute toxicity, LD50, Skin, Rabbit, 10000. MG/KG.

Results:

Behavioral: Tetany.

Lungs, Thorax, or Respiration: Dyspnea.

Gastrointestinal: Changes in structure or function of salivary glands.

Acute toxicity, LC50, Inhalation, Rat, 42000. MG/M3, 60 M.

Results:

Skin and Appendages: Skin: After systemic exposure: Dermatitis, other.

Nutritional and Gross Metabolic: Changes in: Ca.

CAS# 10043-52-4: Calcium chloride:

Acute toxicity, LD50, Dermal, Rabbit, 5000. MG/KG.

Results:

Behavioral: Changes in psychophysiological tests.

CAS# 7791-18-6: Magnesium chloride:

Acute toxicity, LD50, Oral, Rat, 8100. MG/KG.

Results:

Kidney, Ureter, Bladder:Changes in tubules (including acute renal failure, acute tubular

necrosis).

Related to Chronic Data - death.

CAS# 7647-14-5: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 10043-52-4: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 7791-18-6: Not listed by ACGIH,

IARC, NTP, or CA Prop 65.

CAS# 7786-30-3: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

Carcinogenicity:

NTP? No

IARC Monographs? No

OSHA Regulated? No

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
7647-14-5	Sodium chloride	n.a.	n.a.	п.а.	n.a.
10043-52-4	Calcium chloride	n.a.	n.a.	n.a.	n.a.
7791-18-6	Magnesium chloride	n.a.	n.a.	n.a.	n.a.

## 12. ECOLOGICAL INFORMATION

General Ecological

Environmental: No information available.

Information:

Physical: No information available. Other: Do not empty into drains.

Licensed to EC Grow, Inc.



# SAFETY DATA SHEET

Thaw Master

Page: 5

Printed: 12/31/2013 Revision: 12/26/2013

#### 13. DISPOSAL CONSIDERATIONS

Waste Disposal Method:

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed. RCRA U-Series: None listed.

# 14. TRANSPORT INFORMATION

GHS Classification:

Serious Eye Damage/Eye Irritation, Category 2A - Warning! Causes serious eye irritation

Other US EPA or State Lists

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated.

DOT Hazard Class: UN/NA Number:

LAND TRANSPORT (Canadian TDG):

**TDG Shipping Name:** 

Not Regulated.

# 15. REGULATORY INFORMATION

CAS # Hazardous Components (Chemical Name)

7647-14-5 Sodium chloride

CAA HAP, ODC: No; CWA NPDES: No; TSCA: Inventory; CA

PROP.65: No; CA TAC, Title 8: No; WI Air: No

10043-52-4 Calcium chloride

CAA HAP, ODC: No; CWA NPDES: No; TSCA: Inventory; CA

PROP.65: No; CA TAC, Title 8: No; WI Air: No

7791-18-6 Magnesium chloride

CAA HAP, ODC: No; CWA NPDES: No; TSCA: No; CA

PROP.65: No; CA TAC, Title 8: No; WI Air: No

## 16. OTHER INFORMATION

**Revision Date:** 

12/26/2013

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

This Safety Data Sheet (SDS) is to be used as a reference to address the safe handling of the product. All statements, technical information and recommendations contained herein are to the best of our knowledge, reliable and accurate. This SDS is not intended to make any representation as to how the product will perform when used as intended. Nothing in this SDS is intended to be a representation or warranty by the manufacturer with regard to accuracy, safety, usefulness, technical information, materials, techniques, or practices. This product is sold "AS IS" and nothing in this SDS should be deemed to be a representation or warranty of any injury, loss, or damage of any kind sustained by, or arise from, the use of this product.