

# **Safety Data Sheet**

Issue date 26-Aug-2020 Version 3

# 1. Identification of the Substance/Preparation and of the Company/Undertaking

**Product Identifier** 

Product name CHAMPION SPRAYON VISTA CLEER GLASS CLEANER

Chemical name 7-7694-1

Other means of identification

Product code FG 438-5155-8 Synonyms Glass Cleaner

Recommended use of the chemical and restrictions on use

Recommended Use Glass surfaces.

Uses advised against DO NOT USE ON FLOORS

Details of the supplier of the safety data sheet

Supplier Address
Chase Products Co.
2727 Gardner Road
Broadview, IL 60155
708-865-1000

Manufacturer Address
Chase Products Co.
2727 Gardner Road
Broadview, IL 60155
708-865-1000

**Emergency Telephone Number** 

 Company Phone Number
 708-865-1000

 24 Hour Emergency Phone Number
 1-800-255-3924

Emergency telephone ChemTel 1-800-255-3924

# 2. Hazards Identification

# Classification

Acute toxicity - Inhalation (Gases)	Category 4
Gases Under Pressure	liquefied gas

# **Label Elements**

### **EMERGENCY OVERVIEW**

# Warning

aerosolized.

#### hazard statements

HARMFUL IF INHALED

Contains gas under pressure; may explode if heated



Appearance Clear liquid that will be

Physical State Foam Aerosol

Odor Perfumed.

**Precautionary Statements - Prevention** 

Avoid breathing fumes, mist, vapors or spray. Use only outdoors or in a well-ventilated area

# **Precautionary Statements - Response**

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor if you feel unwell

# **Precautionary Statements - Storage**

Protect from sunlight. Store in a well-ventilated place

#### Hazards not otherwise classified (HNOC)

# Other Information

Causes mild skin irritation
 No information available

# 3. Composition/information on Ingredients

Common Name Glass Cleaner.
Synonyms Glass Cleaner.
Chemical Family MIXTURES.
Formula 7-7694-1

Chemical nature Aqueous solution of organic solvent.

Chemical name	CAS No	weight-%	Trade secret
Water	7732-18-5	85-90	*
2-Butoxyethanol	111-76-2	1-5	*
N-Butane	106-97-8	1-5	*
Propane	74-98-6	1-5	*

Chemical Additions

# 4. First aid measures

# **FIRST AID MEASURES**

Eye Contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control

center or doctor for treatment advice.

**Skin contact**Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

physician.

**Inhalation** If overcome by vapor, move person to fresh air. Restore respiration if necessary. Get

medical attention if injury develops.

**Ingestion** Ingestion from an aerosol product is unlikely to occur.

# Most important symptoms and effects, both acute and delayed

**Symptoms** Acute, Deliberate inhalation of concentrated vapor or mist may cause headaches.

Prolonged and repeated contact with the eyes may cause mild irritation. Chronic:

2-butoxyethanol may cause hemolysis of the blood cells leading to possible liver and kidney

damage.

# Indication of any immediate medical attention and special treatment needed

Hazardous components according to OSHA, are listed when present at 1% or greater. Carcinoges are listed when present at 0.1% or greater.

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret.

Note to physicians None needed.

# 5. Fire-fighting measures

# Suitable extinguishing media

Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

# Specific hazards arising from the chemical

This product is under pressure. Water spray may be used to cool cans in the vicinity of fire or excessive heat to prevent the explosion of the cans.

Hazardous combustion products Thermal decomposition may release carbon monoxide and carbon dioxide.

#### **Explosion data**

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame.

Sensitivity to Static Discharge Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity).

# Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Personal precautions Use with adequate general or local exhaust ventilation.

For emergency responders Remove all sources of ignition.

Environmental precautions

**Environmental precautions**See Section 12 for additional Ecological Information.

# Methods and material for containment and cleaning up

**Methods for Containment** Provide adequate ventilation to area being treated. Soak up spills with chemically inert,

absorbent material.

Methods for cleaning up Clean contaminated surface thoroughly.

# 7. Handling and Storage

# Precautions for safe handling

**Advice on safe handling**Do not deliberately inhale vapor or spray mist. Avoid getting spray into eyes.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Store in a cool, dry place away from heat and open flame. Keep out of reach of children.

AEROSOL STORAGE LEVEL I (NFPA-30B).

Incompatible Materials Avoid heat, open flame and contact with strong oxidizers.

# 8. Exposure Controls/Personal Protection

Control parameters

**Exposure guidelines** See occupational exposure limits listed below.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Butoxyethanol	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m <sup>3</sup>	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m <sup>3</sup>
		(vacated) TWA: 120 mg/m <sup>3</sup>	-
		(vacated) S*	
		S*	
N-Butane	STEL: 1000 ppm explosion	(vacated) TWA: 800 ppm	IDLH: 1600 ppm
106-97-8	hazard	(vacated) TWA: 1900 mg/m <sup>3</sup>	TWA: 800 ppm
		` ,	TWA: 1900 mg/m <sup>3</sup>
Propane	: See Appendix F: Minimal	TWA: 1000 ppm	IDLH: 2100 ppm
74-98-6	Oxygen Content, explosion	TWA: 1800 mg/m <sup>3</sup>	TWA: 1000 ppm
	hazard	(vacated) TWA: 1000 ppm	TWA: 1800 mg/m <sup>3</sup>
		(vacated) TWA: 1800 mg/m <sup>3</sup>	_

# Appropriate engineering controls

**Engineering controls**Use with adequate general or local exhaust ventilation.

# Individual protection measures, such as personal protective equipment

**Eye/face Protection** Conventional eyeglasses to guard against splashing.

**Skin and Body Protection** Household type gloves, if desired.

**Respiratory protection** None required if used in a well-ventilated area .

General hygiene considerations Wash hands thoroughly after handling.

# 9. Physical and Chemical Properties

# Information on basic physical and chemical properties

Physical State Foam Aerosol

Appearance Clear liquid that will be aerosolized. Odor Perfumed.

Color Clear Odor threshold No information available

Property<br/>pHValues<br/>10.95 - 11.01Remarks • Method<br/>No information availableMelting point/freezing pointNot applicableNo information availableBoiling point/boiling rangeWater 212 °F/100 °CNo information availableFlash PointNot applicable. This is an aerosolNo information available

product for which Flame Projection is 0 in. with 0 in flashback. Product was tested for Enclosed Space Ignition
Test and is not a flammable aerosol as defined on 29CFR 1910.122 Appendix

B.3.

**Evaporation Rate** Faster than butyl acetate No information available

Flammability (solid, gas)

No information available
Flammability Limits in Air

No information available

Upper flammability limits Not available Lower Flammability Limit Not available

Vapor pressure No information available

Vapor DensityNo information availableRelative Density0.992 - 1.102 concentrateNo information available

Water solubility
Soluble in water
No information available

Partition coefficient

Autoignition Temperature

Decomposition temperature

Kinematic viscosity

No information available
No information available
No information available
No information available

No information available

Dynamic viscosity Explosive properties

No information available No information available

Oxidizing properties

Other Information

Softening pointNo information availableMolecular weightNo information available

**VOC content (%)** 8.88%

**Density** 8.26 - 8.35 lb/gal **Bulk Density** No information available

# 10. Stability and Reactivity

Reactivity

Not applicable Not applicable

#### **Chemical stability**

Stable.

# Possibility of hazardous reactions

Temperatures above 130 °F may cause cans to burst with force.

hazardous polymerization Hazardous polymerization does not occur.

### **Conditions to Avoid**

Temperatures above 122 °F (50 °C).

# **Incompatible Materials**

Avoid heat, open flame and contact with strong oxidizers.

#### Hazardous decomposition products

Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

# 11. Toxicological Information

#### Information on likely routes of exposure

Product Information Primary routes of entry: Eye contact, skin contact, inhalation, ingestion (possible, but

consider unlikely).

**Inhalation** Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and

nausea.

**Eye Contact** Can cause irritation after contact with eyes.

**Skin contact** May cause skin irritation after contact with skin. 2-Butoxyethanol penetrates skin readily.

Frequent or wide spread contact may results on skin absorption of potentially harmful

amounts.

Ingestion This is an aerosol product, ingestion is unlikely to occur. 2-Butoxyethanol may cause red

blood cell hemolysis and possible liver and kidney damage.

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)	-	-
7732-18-5			
2-Butoxyethanol	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h = 486 ppm (
111-76-2			Rat ) 4 h
N-Butane	-	-	= 658 g/m³ (Rat) 4 h
106-97-8			
Propane	-	-	> 800000 ppm (Rat) 15 min

74-98-6		

# Information on toxicological effects

Symptoms Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and

nausea.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**May cause skin irritation after contact with skin. 2-Butoxyethanol penetrates skin readily.

Frequent or wide spread contact may results on skin absorption of potentially harmful

amounts.

Serious eye damage/eye irritation

corrosivity sensitization Germ cell mutagenicity Can cause irritation after contact with the eyes. Not applicable.

No a skin sensitizer.
No information available.

Carcinogenicity

Not known chronic effects based on available data. None of the ingredients present in

excess of 0.1% are listed as carcinogenic by NTP, IARC or OSHA.

Chemical name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol	A3	Group 3		
111-76-2		-		

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Aspiration Hazard Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and

nausea.

# Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document ...

 ATEmix (oral)
 9812 mg/kg

 ATEmix (dermal)
 22965 mg/kg

 ATEmix (inhalation-gas)
 14583 mg/l

 ATEmix (inhalation-dust/mist)
 31.3 mg/l

 ATEmix (inhalation-vapor)
 5821 mg/l

# 12. Ecological Information

### ecotoxicity

6.1 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			Microorganisms	
2-Butoxyethanol		1490: 96 h Lepomis		1698 - 1940: 24 h Daphnia
111-76-2		macrochirus mg/L LC50		magna mg/L EC50 1000: 48
		static 2950: 96 h Lepomis		h Daphnia magna mg/L
		macrochirus mg/L LC50		EC50

# Persistence and degradability

No information available.

# **Bioaccumulation**

No information available.

Chemical name	Partition coefficient
2-Butoxyethanol 111-76-2	0.81
N-Butane 106-97-8	2.89
Propane	2.3

74-98-6

Other adverse effects No information available

# 13. Disposal Considerations

Waste treatment methods

**Disposal of wastes**Dispose of in accordance with federal, state and local regulations.

Contaminated packaging Pressurized container: Do not pierce or burn, even after use. Do not puncture or incinerate

container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your

local solid waste agency for disposal instructions.

# 14. Transport Information

DOT

UN/ID no Limited Quantity
Proper Shipping Name Consumer Commodity

Hazard Class ORM-D

**IATA** 

UN/ID no UN1950

Proper Shipping Name Aerosols, flammable

Hazard Class 2.1

**IMDG** 

UN/ID no UN1950

Proper Shipping Name Aerosols, flammable

Hazard Class 2.

**Marine pollutant** This product does not contain marine pollutants.

# 15. Regulatory information

**International Inventories** 

TSCA All ingredients of this product are listed or are excluded from listing under the U.S. Toxic

Subtances Control Act (TSCA) Chemical Substance Inventory.

DSL All ingredients are listed or are excluded from listing on the DSL.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# **US Federal Regulations**

# **SARA 313**

This product contains the following toxic chemicals (above the de minimis level) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372. This information must be included in all SDSs that are copied and distributed for this material.

Chemical name	CAS No	weight-%	SARA 313 - Threshold Values %
2-Butoxyethanol - 111-76-2	111-76-2	1-5	1.0

\_\_\_\_\_

# SARA 311/312 Hazard Categories

Acute Health Hazard yes
Chronic Health Hazard No
Fire Hazard No
Sudden release of pressure hazard No
Reactive Hazard No

# **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

# **U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water			X
7732-18-5			
2-Butoxyethanol 111-76-2	X	X	X
N-Butane 106-97-8	X	X	X
Propane 74-98-6	X	X	Х

# U.S. EPA Label information

EPA Pesticide registration number Not applicable

16. Other information				
NFPA_	Health Hazards 1	Flammability 1	Instability 1	Physical and chemical properties Not applicable
<u>HMIS</u>	Health Hazards 1	Flammability 2	Physical hazards 1	Personal Protection B - Eyes and hands protection

Prepared by Regulatory Department

Issue date 26-Aug-2020

**Revision note** 

This SDS supersedes a previous SDS dated May 23, 2019.

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**