

# **SAFETY DATA SHEET**

Revision Date 12-Feb-2021 Version 1

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name Attention Clinging Oven, Grill & Cookline Cleaner

Other means of identification

Product Code NL406 Synonyms None

Details of the supplier of the safety data sheet

Company Name Nyco Products Company

5332 Dansher Road, Countryside, IL 60525

(708) 579-8100 nycoproducts.com

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

## Classification

**OSHA Regulatory Status** 

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 5
Acute toxicity - Dermal	Not classified
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1

## Label elements

## **Emergency Overview**

## Danger

## **Hazard statements**

May be harmful if swallowed Causes severe skin burns and eye damage



Appearance Yellow Physical state Liquid Odor Nil

\_\_\_\_\_\_

## **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

## **Precautionary Statements - Response**

Specific Treatment (See Section 4 on the SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Drink plenty of water

Immediately call a POISON CENTER or doctor/physician

## **Precautionary Statements - Storage**

Store locked up

## **Precautionary Statements - Disposal**

Disposal should be in accordance with applicable regional, national and local laws and regulations

#### Hazards not otherwise classified (HNOC)

## Other Information

- · Harmful to aquatic life with long lasting effects
- · Harmful to aquatic life

**Unknown Acute Toxicity** 0% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Sodium Hydroxide	1310-73-2	5-10	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

#### First aid measures

General advice Immediate medical attention is required.

Wash off immediately with soap and plenty of water while removing all contaminated **Skin Contact** 

clothes and shoes. For minor skin contact, avoid spreading material on unaffected skin. For

severe burns, immediate medical attention is required.

Do not rub affected area. Immediate medical attention is required. Rinse immediately with Eye contact

plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while

rinsing.

Inhalation Remove to fresh air. Get medical attention for any breathing difficulty.

Rinse mouth. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth Ingestion

to an unconscious person. Call a physician or poison control center immediately.

Self-protection of the first aider Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

## Most important symptoms and effects, both acute and delayed

Cleaner

Symptoms Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

Indication of any immediate medical attention and special treatment needed

**Note to physicians** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat

Revision Date 12-Feb-2021

symptomatically.

## 5. FIRE-FIGHTING MEASURES

## Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

## **Explosion data**

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Evacuate personnel to safe areas. Keep people

away from and upwind of spill/leak. Use personal protective equipment as required.

Environmental precautions

**Environmental precautions** Do not allow into any storm sewer drains, lakes, streams, ponds, estuaries, oceans or other

surface water bodies. Should not be released into the environment. Dispose of according to

all local city, state and federal rules and regulations.

## Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent

material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. After cleaning,

flush away traces with water.

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed

systems.

## Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep containers tightly closed in a dry, cool and

well-ventilated place. Keep in properly labeled containers.

Incompatible materials Strong acids. Aluminum. Incompatible with strong acids and bases. Incompatible with

oxidizing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium Hydroxide	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>
1310-73-2		(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>
2-(2-methoxypropoxy)propano	STEL: 150 ppm	TWA: 100 ppm	IDLH: 600 ppm
34590-94-8	TWA: 100 ppm	TWA: 600 mg/m <sup>3</sup>	TWA: 100 ppm
	S*	(vacated) TWA: 100 ppm	TWA: 600 mg/m <sup>3</sup>
		(vacated) TWA: 600 mg/m <sup>3</sup>	STEL: 150 ppm
		(vacated) STEL: 150 ppm	STEL: 900 mg/m <sup>3</sup>
		(vacated) STEL: 900 mg/m <sup>3</sup>	
		(vacated) S*	
		S*	

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Appropriate engineering controls** 

**Engineering Controls** Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles. Wear a face shield if splashing hazard exists.

**Skin and body protection** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene When using do not eat, drink or smoke. Keep away from food, drink and animal feeding

stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable

gloves and eye/face protection.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state Liquid
Appearance Yellow
Color Yellow
Odor Nil

Odor threshold No Information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 13.5 + Specific Gravity 1.06

Viscosity > 600 cP @ 25°C

No Information available Melting point/freezing point

Flash point Above 200°F

Boiling point / boiling range 100 °C / 212 °F Degrees **Evaporation rate** No Information available No data available

Flammability (solid, gas) Flammability Limits in Air

No Information available **Upper flammability limit:** No Information available Lower flammability limit: No Information available Vapor pressure Vapor density No Information available

Water solubility Complete

No Information available Partition coefficient Autoignition temperature No Information available **Decomposition temperature** No Information available

Other Information

**Density Lbs/Gal** 8.83 **VOC Content (%)** 3.4

## 10. STABILITY AND REACTIVITY

## Reactivity

No data available

#### Chemical stability

Stable under recommended storage conditions.

## **Possibility of Hazardous Reactions**

None under normal processing.

#### **Conditions to avoid**

Exposure to air or moisture over prolonged periods.

#### **Incompatible materials**

Strong acids. Aluminum. Incompatible with strong acids and bases. Incompatible with oxidizing agents.

#### **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** The primary effects and toxicity of this material are due to it corrosive nature.

Avoid breathing vapors or mists. Breathing of vapor can cause respiratory irritation and Inhalation

inflammation. Breathing of mist or liquid can cause burns to the respiratory tract.

Eye contact Avoid contact with eyes. Corrosive. Causes severe eye damage.

**Skin Contact** Avoid contact with skin. Corrosive. Contact with skin may cause severe irritation and burns.

May be harmful if swallowed. Ingestion causes acute irritation and burns to the mucous Ingestion

membranes of the mouth, trachea, esophagus and stomach.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Hydroxide	= 325 mg/kg (Rat)	= 1350 mg/kg(Rabbit)	-
1310-73-2			

#### Information on toxicological effects

**Symptoms** No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Corrosivity** Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to

eyes.

Sensitization

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure

No Information available.
No Information available.
No Information available.
No Information available.

**Chronic toxicity** Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw

necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure.

Possible risk of irreversible effects.

Target organ effects Central nervous system, EYES, Respiratory system, Skin.

Aspiration hazard No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

 ATEmix (oral)
 3,217.00

 ATEmix (dermal)
 10,223.10

## 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium Hydroxide 1310-73-2	-	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	-
2-(2-methoxypropoxy)propano 34590-94-8	-	10000: 96 h Pimephales promelas mg/L LC50 static	1919: 48 h Daphnia magna mg/L LC50
Sodium Sulfate 7757-82-6	-	13500 - 14500: 96 h Pimephales promelas mg/L LC50 3040 - 4380: 96 h Lepomis macrochirus mg/L LC50 static 13500: 96 h Lepomis macrochirus mg/L LC50 6800: 96 h Pimephales promelas mg/L LC50 static	2564: 48 h Daphnia magna mg/L EC50

## Persistence and degradability

No Information available.

**Bioaccumulation** 

No Information available.

Other adverse effects No Information available

## 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name California Hazardous Waste Status	
Sodium Hydroxide	Toxic
1310-73-2	Corrosive

## 14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

## DOT

**UN/ID No.** UN1760

**Proper shipping name** Corrosive liquids, n.o.s.

Hazard Class 8
Packing Group ||

Special Provisions B2, IB2, T11, TP2, TP27

**Description** UN 1760, Corrosive liquids, n.o.s. (Sodium Hydroxide), 8, II

Emergency Response Guide 154

Number

**TDG** 

**UN/ID No.** UN1760

Proper shipping name Corrosive liquids, n.o.s.

Hazard Class 8
Packing Group

**Description** UN1760, Corrosive liquids, n.o.s. (contains Sodium Hydroxide), 8, II

## **15. REGULATORY INFORMATION**

**International Inventories** 

TSCA Complies DSL/NDSL Complies

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### **US Federal Regulations**

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %		
2-(2-methoxypropoxy)propano - 34590-94-8	1.0		
SARA 311/312 Hazard Categories			
Acute health hazard	Yes		
Chronic Health Hazard	Yes		
Fire hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous

# NL406 Attention Clinging Oven, Grill & Cookline Cleaner

	Quantities			Substances
Sodium Hydroxide 1310-73-2	1000 lb	-	-	Х

## **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium Hydroxide	1000 lb	-	RQ 1000 lb final RQ
1310-73-2			RQ 454 kg final RQ

## **US State Regulations**

#### **California Proposition 65**

This product has been evaluated and does not require warning labeling under California Proposition 65.

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium Hydroxide 1310-73-2	X	X	X
2-(2-methoxypropoxy)propano 34590-94-8	Х	X	X
Sodium Sulfate 7757-82-6	-	X	Х

## U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16.	OTHER I	INFORMATION
-----	---------	-------------

NFPA Health hazards 3 Flammability 0 Instability 0 Physical and Chemical

Properties -

Revision Date 12-Feb-2021

HMIS Health hazards 3 Flammability 0 Physical hazards 0 Personal protection D

Issue Date12-Feb-2021Revision Date12-Feb-2021

**Revision Note** 

No Information available

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**