

Version 1.0 SDS Number: 40000000738	Revision Date: 08/07/2023
-------------------------------------	---------------------------

SECTION 1. IDENTIFICATION

Product name	:	PURELL® HEALTHY SOAP® with CLEAN RELEASE® Technology Foam
Manufacturer or supplier's de	eta	ils
Company name of supplier	:	GOJO Industries, Inc.
Address	:	One GOJO Plaza, Suite 500
		Akron, Ohio 44311
Telephone	:	1 (330) 255-6000
Emergency telephone number	:	CHEMTREC 1-800-424-9300 CHEMTREC +1-703-527-3887: Outside USA & CANADA

Recommended use of the chemical and restrictions on use

Recommended use : Restrictions on use :	Skin-care This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.
--	--

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	:	Category 3
Eye irritation	:	Category 2A
GHS label elements Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H226 Flammable liquid and vapour. H319 Causes serious eye irritation.
Precautionary statements	:	Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces
		1 / 10



Version 1.0	SDS Number: 40000000738 Revision Date: 08/07/20)23
	No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge P280 Wear eye protection/ face protection. Response: P305 + P351 + P338 IF IN EYES: Rinse cautiously with wat for several minutes. Remove contact lenses, if present and to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ attention. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. Storage: P403 + P235 Store in a well-ventilated place. Keep cool. Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.	ter
Other hazards		

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (%)
Ethyl Alcohol	64-17-5	>= 10 - < 20
Sodium Laureth Sulfate	68585-34-2	>= 1 - < 5
Glycerin	56-81-5	>= 1 - < 5
Limonene	5989-27-5	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air.
	If symptoms persist, call a physician.
In case of skin contact	: Get medical attention if irritation develops and persists.
In case of eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
	If easy to do, remove contact lens, if worn. Seek medical advice.
If swallowed	: If swallowed, DO NOT induce vomiting. Rinse mouth with water.
	Obtain medical attention.
Most important symptoms and effects, both acute and	: Causes serious eye irritation.



Version 1.0	SDS Number: 40000000738	Revision Date: 08/07/2023
delayed Protection of first-aiders	: First Aid responders should parand use the recommended pro	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not use a solid water stream as it may scatter and spread fire. Cool closed containers exposed to fire with water spray. Flash back possible over considerable distance. May form explosive mixtures in air. Exposure to decomposition products may be a hazard to health. Carbon oxides Nitrogen oxides (NOx) Metal oxides
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx) Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, : protective equipment and emergency procedures	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Material can create slippery conditions.
Environmental precautions	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with a water spray jet. Keep in suitable, closed containers for disposal.



Version 1.0	SDS Number: 40000000738	Revision Date: 08/07/2023	
	Clean contaminated floors and objects thoroughly while observing environmental regulations.		
SECTION 7. HANDLING AND ST	ORAGE		
Advice on safe handling	: For personal protection see see Keep away from heat. Use with local exhaust ventilation Avoid contact with eyes.		
Conditions for safe storage	 Take measures to prevent the l Keep in properly labelled contain Keep containers tightly closed in ventilated place. Store in accordance with the participation 	n a dry, cool and well-	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Glycerin	56-81-5	TWA (mist, respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1
Limonene	5989-27-5	TWA	20 ppm	ACGIH

Components with workplace control parameters

Hazardous components without workplace control parameters

Personal protective equipment

Respiratory protection	No personal respiratory protective equipment normally required.	
Hand protection		
Remarks	No special protective equipment required.	
Eye protection	Wear face-shield and protective suit for abnormal process problems.	ing
Skin and body protection	No special measures necessary provided product is used correctly.	
Protective measures	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and the specific work-place.	to
	Ensure that eye flushing systems and safety showers are located close to the working place.	
Hygiene measures	Handle in accordance with good industrial hygiene and sa practice. Avoid contact with eyes.	fety



Version 1.0

SDS Number: 40000000738

Revision Date: 08/07/2023

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Colour Odour Odour Threshold	: liquid : clear, colourless, light yellow : like fruit : No data available
рН	: 5.1 - 7.8, (20 °C)
Solidification / Setting point	: -4.6 °C
Initial boiling point and boiling	: 77 °C
range Flash point	: 32.8 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: Does not sustain combustion.
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 0.98 g/cm3
Partition coefficient: n- octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Thermal decomposition	: The substance or mixture is not classified self-reactive.
Viscosity Viscosity, kinematic	: 10 - 20 mm2/s (20 °C)
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

: Not classified as a reactivity hazard.
: Stable under normal conditions.
: Vapours may form explosive mixture with air.
: Heat, flames and sparks. : Oxidizing agents



Version 1.0	SDS Number: 40000000738	Revision Date: 08/07/2023
Hazardous decomposition products	: No hazardous decomposition	products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes Inhalation Eye contact Skin contact	of exposure
Acute toxicity	
Not classified based on availa	ble information.
Components:	
Ethyl Alcohol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour
Sodium Laureth Sulfate: Acute oral toxicity	: LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity
Glycerin: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Limonene: Acute oral toxicity	 LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Product:

Assessment: Not irritating when applied to human skin. Result: No skin irritation

Components:

Ethyl Alcohol: Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

Sodium Laureth Sulfate:

Result: Skin irritation

Glycerin:



Version 1.0

SDS Number: 40000000738

Revision Date: 08/07/2023

Result: No skin irritation

Limonene:

Species: Rabbit Result: Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Ethyl Alcohol: Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

Sodium Laureth Sulfate:

Result: Eye irritation Remarks: Severe eye irritation

Glycerin:

Result: No eye irritation

Limonene:

Species: Rabbit Result: No eye irritation

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Components:

Ethyl Alcohol: Test Type: Local lymph node assay (LLNA) Exposure routes: Skin contact Species: Mouse Result: negative

Limonene:

Test Type: Local lymph node assay (LLNA) Exposure routes: Skin contact Species: Mouse Result: positive

Assessment: Probability or evidence of skin sensitisation in humans

Germ cell mutagenicity

Not classified based on available information.

Components:

Ethyl Alcohol: Genotoxicity in vitro

: Test Type: In vitro mammalian cell gene mutation test Result: negative



Genotoxicity in vivo		athal test (germ cell) (in vivo)	
	Test species: Mouse Application Route: Ingestion Result: negative		
Glycerin: Genotoxicity in vitro	: Test Type: In vitro mammalian Method: OECD Test Guideline Result: negative		
Limonene: Genotoxicity in vitro	: Test Type: In vitro mammalian Result: negative	cell gene mutation test	
Genotoxicity in vivo	: Test Type: Transgenic rodent somatic cell gene mutation assay Test species: Rat Application Route: Ingestion Result: negative		
Carcinogenicity Not classified based on av	vailable information.		
Result: negative Limonene: Species: Mouse Application Route: Ingestic	e does not exist: 2 - **> Years		
IARC	No component of this product pre equal to 0.1% is identified as prol human carcinogen by IARC.		
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.		
NTP	No component of this product pre equal to 0.1% is identified as a kr by NTP.		
Reproductive toxicity Not classified based on av	vailable information.		



oam		
/ersion 1.0	SDS Number: 40000000738	Revision Date: 08/07/2023
Effects on fertility	: Test Type: Two-generation rep Species: Mouse Application Route: Ingestion Method: OECD Test Guideline Result: negative	
Glycerin: Effects on fertility	: Test Type: Two-generation rep Species: Rat Application Route: Ingestion Result: negative	production toxicity study
Effects on foetal development	: Test Type: Embryo-foetal deve Species: Rabbit Application Route: Ingestion Result: negative	3opment
STOT - single exposure Not classified based on av	vailable information.	
STOT - repeated exposution Not classified based on av		
Repeated dose toxicity		
<u>Components:</u> Ethyl Alcohol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingesti Exposure time: <** Phrase		
Glycerin: Species: Rat NOAEL: 167 mg/m3 LOAEL: 660 mg/m3 Application Route: inhalat Exposure time: <** Phrase Symptoms: Local irritation	e does not exist: 13 w - **>	
Limonene: Species: Rat NOAEL: 600 mg/kg Application Route: Ingesti Exposure time: <** Phrase	on e does not exist: 13 w - **>	
Aspiration toxicity Not classified based on av	vailable information.	
Components:		

Limonene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.



Version 1.0

SDS Number: 40000000738

Revision Date: 08/07/2023

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ethyl Alcohol: Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l
	Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	: EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
aquatic invertebrates	: NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
(Chronic toxicity) Toxicity to bacteria	: EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h
Glycerin: Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 1,955 mg/l Exposure time: 48 h
Toxicity to bacteria	: NOEC (Pseudomonas putida): > 10,000 mg/l Exposure time: 16 h
Limonene: Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 0.72 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.36 mg/l Exposure time: 48 h
Toxicity to algae	 ErC50 (Desmodesmus subspicatus (green algae)): 150 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
M-Factor (Acute aquatic toxicity)	: 1
Persistence and degradability	у
<u>Components:</u> Ethyl Alcohol: Biodegradability	: Result: Readily biodegradable. Biodegradation: 84 %
	Exposure time: 20 d



rsion 1.0	SDS Number: 40000000738	Revision Date: 08/07/202
Sodium Laureth Sulfate: Biodegradability	: Result: Readily biodegradable.	
Glycerin: Biodegradability	: Result: Readily biodegradable. Biodegradation: 94 % Exposure time: 1 d	
Limonene: Biodegradability	: Result: Readily biodegradable. Biodegradation: 80 % Exposure time: 28 d Remarks: Based on data from s	similar materials
Bioaccumulative potential		
Components:		
Ethyl Alcohol: Partition coefficient: n- octanol/water Glycerin:	: log Pow: -0.35	
Partition coefficient: n- octanol/water Limonene:	: log Pow: -1.76	
Partition coefficient: n- octanol/water	: log Pow: 4.38	
Mobility in soil No data available		
Other adverse effects No data available		
Product:		
Regulation	40 CFR Protection of Environm Stratospheric Ozone - CAA Sec	
Remarks	This product neither contains, n Class I or Class II ODS as defir Section 602 (40 CFR 82, Subpt	ed by the U.S. Clean Air Act

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues Contaminated packaging	 Dispose of in accordance with local regulations. Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation



Version 1.0

SDS Number: 40000000738

Revision Date: 08/07/2023

IATA-DGR Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good National Regulations

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Ethyl Alcohol	64-17-5	17.62 %
Glycerin	56-81-5	1.75 %
duct does not contain any	VOC exemption	s listed under the LLS. Clean Air A

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

California Prop 65	This product does not require a warning label under California Proposition 65.			
The components of this product are reported in the following inventories:				
TSCA	: On the inventory, or in compliance with the inventory			




Version 1.0	SDS Number: 400000000738	Revision Date: 08/07/2023
DSL	: On the inventory, or in compliance	with the inventory
ENCS	: On the inventory, or in compliance	with the inventory
ISHL	: On the inventory, or in compliance	with the inventory
KECI	: On the inventory, or in compliance	with the inventory
PICCS	: On the inventory, or in compliance	with the inventory
IECSC	: On the inventory, or in compliance	with the inventory
NZIoC	: On the inventory, or in compliance	with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information



Revision Date : 08/07/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.