SAFETY DATA SHEET



PURELL® Advanced Hand Sanitizer Green Certified Gel

Version 1.0	SDS Number: 400000005885	Revision Date: 05/20/2020
SECTION 1. IDENTIFICATION		
Product name	: PURELL® Advanced Hand Sar	nitizer Green Certified Gel
Manufacturer or supplier's	details	
Company name of supplier Address	 GOJO Industries, Inc. One GOJO Plaza, Suite 500 Akron, Ohio 44311 	
Telephone	: 1 (330) 255-6000	
Emergency telephone number	: CHEMTREC 1-800-424-9300 CHEMTREC +1-703-527-3887:	Outside USA & CANADA
Recommended use of the o	chemical and restrictions on use	
Recommended use Restrictions on use	 Hand Sanitizer This is a personal care or cosm consumers and other users und foreseeable use. Cosmetics and specifically defined by regulatio exempt from the requirement of While this material is not consid contains valuable information contains 	der normal and reasonably d consumer products, ns around the world, are f an SDS for the consumer. lered hazardous, this SDS ritical to the safe handling and

contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification	
Flammable liquids	: Category 3
Eye irritation	: Category 2A
GHS label elements	
Hazard pictograms	
Signal word	: Warning
Hazard statements	 H226 Flammable liquid and vapour. H319 Causes serious eye irritation.
Precautionary statements	 Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P233 Keep container tightly closed.



ersion 1.0	SDS Number: 40000005885	Revision Date: 05/20/2020
	 P240 Ground/bond container at P241 Use explosion-proof elect equipment. P242 Use only non-sparking to P243 Take precautionary meas P280 Wear eye protection/ face Response: P305 + P351 + P338 IF IN EYE for several minutes. Remove co to do. Continue rinsing. P337 + P313 If eye irritation pe attention. P370 + P378 In case of fire: Us alcohol-resistant foam for extine Storage: P403 + P235 Store in a well-ve Disposal: P501 Dispose of contents/ cont disposal plant. 	trical/ ventilating/ lighting/ ols. sures against static discharge. e protection. ES: Rinse cautiously with water ontact lenses, if present and eas rsists: Get medical advice/ se dry sand, dry chemical or ction.

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (%)
Ethyl Alcohol	64-17-5	>= 50 - < 70
Isopropyl Alcohol	67-63-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if irritation develops and persists.
In case of eye contact	 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Seek medical advice.
If swallowed	 If swallowed, DO NOT induce vomiting. Obtain medical attention. Rinse mouth with water.
Most important symptoms and effects, both acute and delayed	: Causes serious eye irritation.
Protection of first-aiders	: First Aid responders should pay attention to self-protection and use the recommended protective clothing



 Version 1.0
 SDS Number: 40000005885
 Revision Date: 05/20/2020

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)
Specific hazards during firefighting	 Do not use a solid water stream as it may scatter and spread fire. Cool closed containers exposed to fire with water spray. Flash back possible over considerable distance. May form explosive mixtures in air. Exposure to decomposition products may be a hazard to health. Carbon oxides
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.
Further information	 Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment	: In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Material can create slippery conditions.
Environmental precautions	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with a water spray jet. Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	For personal protection see section 8.
, laviee en eare nanaling		



Version 1.0	SDS Number: 400000005885	Revision Date: 05/20/2020
Conditions for safe storage	 Keep away from heat. Use with local exhaust ventilation Avoid contact with eyes. Take measures to prevent the body Keep in properly labelled contain Keep container tightly closed in place. Store in accordance with the page 	uild up of electrostatic charge. ners. a dry and well-ventilated

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Isopropyl Alcohol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Samplin g time	Permissible concentratio n	Basis
Isopropyl Alcohol	67-63-0	Acetone	Urine	End of shift at end of workwee k	40 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection	 No personal respiratory protective equipment normally required.
Hand protection	
Remarks	: No special protective equipment required.
Eye protection	: Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	: No special protective equipment required.
Protective measures	: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
	Ensure that eye flushing systems and safety showers are located close to the working place.
Hygiene measures	 Handle in accordance with good industrial hygiene and safety practice.



Version 1.0

SDS Number: 400000005885

Revision Date: 05/20/2020

Avoid contact with eyes.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Colour Odour Odour Threshold	: liquid : clear : alcohol-like : No data available
рН	: 6.5 - 8.5, (20 °C)
Melting point/freezing point Initial boiling point and boiling	No data availableNo data available
range Flash point	: 24.00 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: <= 0.881 g/cm3
Solubility(ies) Water solubility	: soluble
Partition coefficient: n- octanol/water	: Not applicable
Auto-ignition temperature	: not determined
Thermal decomposition	: The substance or mixture is not classified self-reactive.
Viscosity Viscosity, kinematic	: 3500 - 23000 mm2/s (20 °C)
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous	: Vapours may form explosive mixture with air.
reactions	



ersion 1.0	SDS Number: 40000005885	Revision Date: 05/20/2020
Conditions to avoid Incompatible materials Hazardous decomposition products	 Heat, flames and sparks. Strong oxidizing agents No hazardous decomposition 	products are known.
CTION 11. TOXICOLOGICAL	INFORMATION	
Information on likely route Inhalation Skin contact Eye contact	es of exposure	
Acute toxicity Not classified based on avai	ilable information.	
Product:		
Acute oral toxicity	: Acute toxicity estimate : > 5,00 Method: Calculation method)0 mg/kg
Components:		
Ethyl Alcohol:		
Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg	
Acute inhalation toxicity	: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour	
Isopropyl Alcohol:		
Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg	
Acute inhalation toxicity	: LC50 (Rat): 72.6 mg/l Exposure time: 4 h Test atmosphere: vapour	
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg	
Skin corrosion/irritation Not classified based on avai	ilable information.	
Product: Result: No skin irritation		
<u>Components:</u> Ethyl Alcohol:		

Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

Isopropyl Alcohol: Species: Rabbit

Species: Rabbit Result: No skin irritation



Version 1.0

SDS Number: 40000005885

Revision Date: 05/20/2020

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Ethyl Alcohol: Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

Isopropyl Alcohol:

Species: Rabbit Result: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Product:

Result: Does not cause skin sensitisation.

Components:

Ethyl Alcohol: Test Type: Local lymph node assay (LLNA) Exposure routes: Skin contact Species: Mouse Result: negative

Isopropyl Alcohol:

Test Type: Buehler Test Exposure routes: Skin contact Species: Guinea pig Method: OECD Test Guideline 406 Result: negative

Germ cell mutagenicity

Not classified based on available information.

Components: **Ethyl Alcohol:** Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test **Result:** negative Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo) Test species: Mouse **Application Route: Ingestion Result:** negative Isopropyl Alcohol: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) **Result:** negative : Test Type: Mammalian erythrocyte micronucleus test (in vivo Genotoxicity in vivo cytogenetic assay) Test species: Mouse Application Route: Intraperitoneal injection



Version	10
1011	1.0

SDS Number: 40000005885

Revision Date: 05/20/2020

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Isopropyl Alcohol: Species: Rat Application Route: inhalation (vapour) Exposure time: 104 weeks Method: OECD Test Guideline 451 Result: negative

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

OSHA

NTPNo component of this product present at levels greater than or
equal to 0.1% is identified as a known or anticipated carcinogen
by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

Ethyl Alcohol:	
Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative
Isopropyl Alcohol:	
Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion

Result: negative

STOT - single exposure

Not classified based on available information.

Components:

Isopropyl Alcohol:

Assessment: May cause drowsiness or dizziness.



Version 1.0

SDS Number: 40000005885

Revision Date: 05/20/2020

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Ethyl Alcohol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y

Isopropyl Alcohol:

Species: Rat NOAEL: 5000 ppm Application Route: inhalation (vapour) Exposure time: 104 w Method: OECD Test Guideline 413

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components: Ethyl Alcohol: Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l aquatic invertebrates Exposure time: 48 h Toxicity to algae : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 9.6 mg/l aquatic invertebrates Exposure time: 9 d (Chronic toxicity) Toxicity to bacteria : EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h Isopropyl Alcohol: Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l Exposure time: 96 h : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Toxicity to daphnia and other aquatic invertebrates Exposure time: 24 h Toxicity to bacteria : EC50 (Pseudomonas putida): > 1,050 mg/l Exposure time: 16 h



/ersion 1.0	SDS Number: 40000005885	Revision Date: 05/20/2020
Persistence and degrada	oility	
Components:		
Ethyl Alcohol: Biodegradability	: Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d	
Isopropyl Alcohol: Biodegradability	: Result: rapidly degradable	
Bioaccumulative potentia	I	
Components:		
Ethyl Alcohol: Partition coefficient: n- octanol/water Isopropyl Alcohol:	: log Pow: -0.35	
Partition coefficient: n- octanol/water	: log Pow: 0.05	
Mobility in soil No data available		
Other adverse effects No data available		
Product:		
Regulation	40 CFR Protection of Environme Stratospheric Ozone - CAA Sec	
Remarks	This product neither contains, no Class I or Class II ODS as define Section 602 (40 CFR 82, Subpt.	ed by the U.S. Clean Air Act

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues Contaminated packaging	 Dispose of in accordance with local regulations. Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation		
IATA-DGR UN/ID No. Proper shipping name	: UN 1987 : Alcohols, n.o.s.	
Class Packing group Packing instruction (cargo	(Ethanol, Propan-2-ol) : 3 : III : 366	



Version 1.0	SDS Number: 400000005885	Revision Date: 05/20/2020
aircraft) Packing instruction (passenger aircraft)	: 355	
IMDG-Code UN number Proper shipping name	 : UN 1987 : ALCOHOLS, N.O.S. (Ethanol, Propan-2-ol) 	
Class Packing group Labels EmS Code Marine pollutant National Regulations	: 3 : III : 3 : F-E, S-D : no	
49 CFR UN/ID/NA number Proper shipping name Class Packing group ERG Code Marine pollutant	: UN 1987 : Alcohols, n.o.s. : 3 : III : 127 : no	

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard		
SARA 302	:	No chemicals in this materia requirements of SARA Title		eporting
SARA 313	:	The following components a established by SARA Title I		ig levels
		Isopropyl Alcohol	67-63-0	3.4086 %

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61). This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F). The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489): Ethyl Alcohol 64-17-5 65.2821 % Isopropyl Alcohol 67-63-0 3.4086 %

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.



sion 1.0	SDS Number: 40000005	885 Revision	n Date: 05/20/20
Clean Water Act			
This product does not 307	t contain any toxic pollutants listed u	under the U.S. Clean V	Vater Act Section
Massachusetts Righ	nt To Know		
Ethy	I Alcohol	64-17-5	50 - 70 %
lsopr	ropyl Alcohol	67-63-0	1 - 5 %
Pennsylvania Right	To Know		
	l Alcohol	64-17-5	50 - 70 %
	er (Aqua)	7732-18-5	30 - 50 %
Isopr	ropyl Alcohol	67-63-0	1 - 5 %
New Jersey Right To			
•	I Alcohol	64-17-5	50 - 70 %
	er (Aqua) ropyl Alcohol	7732-18-5 67-63-0	30 - 50 % 1 - 5 %
The components of CH INV	this product are reported in the for : On the inventory, or in	-	
TSCA	: On TSCA Inventory	·	,
DSL	: On the inventory, or in	compliance with the in	nventory
AICS	: On the inventory, or in	compliance with the i	
		compliance with the li	nventory
NZIoC	: On the inventory, or in	•	
NZIOC ENCS	: On the inventory, or in : On the inventory, or in	compliance with the in	nventory
		compliance with the in compliance with the in	nventory
ENCS	: On the inventory, or in	compliance with the in compliance with the in compliance with the in	nventory nventory nventory
ENCS ISHL	: On the inventory, or in : On the inventory, or in	compliance with the in compliance with the in compliance with the in compliance with the in	nventory nventory nventory nventory
ENCS ISHL KECI	On the inventory, or inOn the inventory, or inOn the inventory, or in	compliance with the in compliance with the in compliance with the in compliance with the in compliance with the in	nventory nventory nventory nventory nventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)




Version 1.0

SDS Number: 40000005885

Revision Date: 05/20/2020

SECTION 16. OTHER INFORMATION

Further information



HMIS III:



0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Revision Date

: 05/20/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.