

# SAFETY DATA SHEET

Issuing Date: 12-Feb-2015

Revision Date: 14-May-2018

Version 3.01

1. IDENTIFICATION		
Product Name	Dawn Professional® Power Dissolver	
Product Code(s)	6-00	
Product Identifier	95446855_PROF_NG	
Product Type:	Finished Product - Professional Use Only	
Recommended Use	Cleaning agent.	
Restrictions on Use	Use only as directed on label.	
Details of the supplier of the safety data sheet	Procter & Gamble Professional 1 P&G Plaza Cincinnati, Ohio 45202	
	Procter & Gamble Inc. P.O. Box 355, Station A Toronto, ON M5W 1C5	
	1-800-332-7787	
E-mail Address	pgsds.im@pg.com	
Emergency Telephone	Transportation (24 HR) CHEMTREC - 1-800-424-9300 (U.S./ Canada) or 1-703-527-3887 Mexico toll free in country: 800-681-9531	

# 2. HAZARD IDENTIFICATION

This product is classified under 29CFR 1910.1200(d) and the Canadian Hazardous Products Regulation as follows:.

<u>Hazard Category</u> Skin corrosion/irritation Eye Damage / Irritation Flammable Liquids	Category 1 Category 1
Signal Word	DANGER
Hazard Statements	Causes severe skin burns and eye damage
Hazard pictograms	

**Precautionary Statements** 

Do not breathe mist

 Wash hands thoroughly after handling p80

 Use with ventilation.

 Precautionary Statements - Response

 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

 Immediately call a POISON CENTER or doctor/physician

 IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

 Drink 1 or 2 glasses of water

 IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

Precautionary Statements - DisposalNone

Hazards not otherwise classified None (HNOC)

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Ingredients are listed according to 29CFR 1910.1200 Appendix D and the Canadian Hazardous Products Regulation

Chemical Name	Synonyms	Trade Secret	CAS-No	Weight-%
Dipropylene Glycol Butoxy Ether	2-Propanol,	Yes	29911-28-2	3 - 7
	1-(2-butoxy-1-methyletho			
	xy)-			
Phenoxyethanol	Phenoxyethanol	Yes	122-99-6	3 - 7
2-Aminoethanol	Ethanol, 2-amino-	Yes	141-43-5	3 - 7
Benzenesulfonic acid,	Benzenesulfonic acid,	Yes	28348-53-0	1 - 5
(1-methylethyl)-, sodium salt (1:1)	(1-methylethyl)-, sodium			
	salt (1:1)			
Amine oxides, C10-16-alkyldimethyl	Amine oxides,	Yes	70592-80-2	0.5 - 1.5
	C10-16-alkyldimethyl			
Limonene	D-Limonene	Yes	5989-27-5	0.1 - 1

Additional information

Actual concentrations withheld as trade secret in accordance with Canadian HPR

### 4. FIRST AID MEASURES

### First aid measures for different exposure routes

Eye contact	Rinse with plenty of water. Call a physician immediately.	
Skin contact	Rinse with plenty of water. Get medical attention if irritation develops and persists.	
Ingestion	Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention immediately if symptoms occur.	
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician or poison control center immediately.	
Most important symptoms/effects, acute and delayed	None under normal use conditions.	
F. Indication of immediate medical attention and special treatment needed, if necessary		

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES			
Suitable extinguishing media	Dry chemical, CO 2, alcohol-resistant foam or water spray.		
Unsuitable Extinguishing Media	None.		
Special hazard	None known.		
Special protective equipment for fire-fighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.		
Specific hazards arising from the chemical	None.		

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures		
Personal precautions	Use personal protective equipment. Do not get in eyes, on skin, or on clothing.	
Advice for emergency responders	Use personal protective equipment as required.	
Methods and materials for containr	nent and cleaning up	
Methods for containment	Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.	
Methods for cleaning up	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).	
7. HANDLING AND STORAGE		
Precautions for safe handling		
Advice on safe handling	Use personal protective equipment as required. Keep container closed when not in use. Never return spills in original containers for re-use. Keep out of the reach of children.	
Conditions for safe storage, including any incompatibilities		
Conditions for safe storage, includ	ing any incompatibilities	
<u>Conditions for safe storage, includ</u> Storage Conditions	ing any incompatibilities Keep containers tightly closed in a dry, cool and well-ventilated place.	

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control parameters**

### **Exposure Guidelines**

.

Chemical Name	CAS-No	ACGIH TLV	OSHA PEL	Mexico PEL
2-Aminoethanol	141-43-5	STEL: 6 ppm	TWA: 3 ppm	Mexico: TWA 3 ppm
		TWA: 3 ppm	TWA: 6 mg/m <sup>3</sup>	Mexico: TWA 8 mg/m <sup>3</sup>
			(vacated) TWA: 3 ppm	Mexico: STEL 6 ppm
			(vacated) TWA: 8 mg/m <sup>3</sup>	Mexico: STEL 15 mg/m <sup>3</sup>
			(vacated) STEL: 6 ppm	
			(vacated) STEL: 15 mg/m <sup>3</sup>	

Chemical Name	CAS-No	Alberta	Quebec	Ontario TWAEV	British Columbia
Phenoxyethanol	122-99-6			TWA: 25 ppm TWA: 141 mg/m <sup>3</sup> Skin	

2-Aminoethanol	141-43-5	TWA: 3 ppm TWA: 7.5 mg/m <sup>3</sup> STEL: 6 ppm STEL: 15 mg/m <sup>3</sup>	TWA: 3 ppm TWA: 7.5 mg/m <sup>3</sup> STEL: 6 ppm STEL: 15 mg/m <sup>3</sup>	TWA: 3 ppm STEL: 6 ppm	TWA: 3 ppm STEL: 6 ppm	
No relevant exposure guide	lines for other ingred	lients				
Exposure controls						
Engineering Measures		<b>Distribution, Workplace and Household Settings:</b> Ensure adequate ventilation				
	Where re	<b>Product Manufacturing Plant (needed at Product-Producing Plant ONLY):</b> Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction				
Personal Protective Equip	ment					
Eye Protection		<b>Distribution, Workplace and Household Settings:</b> Requires Eye Protection				
	Wear sa If splash		n <b>t (needed at Produ</b> shields (or goggles) , wear:	ct-Producing Plant	ONLY):	
Hand Protection		u <b>tion, Workplace an</b> ve gloves	d Household Setting	js:		
		t Manufacturing Pla ve gloves	nt (needed at Produ	ct-Producing Plant	ONLY):	
Skin and Body Protection		ution, Workplace an itable protective cloth	<b>d Household Setting</b> <sup>ning</sup>	js:		
		t Manufacturing Pla itable protective cloth	nt (needed at Produ ning	ct-Producing Plant	ONLY):	
Respiratory Protection		ution, Workplace an ial protective equipmo	d Household Setting ent required	js:		

**Product Manufacturing Plant (needed at Product-Producing Plant ONLY):** In case of inadequate ventilation wear respiratory protection

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State @20°C Appearance Odor Odor threshold

<u>Property</u> pH value Melting Point / Freezing Point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limits in Air Liquid opaque Scented No information available

Values 13 No information available No information available > 82 °C / > 180 °F No information available No information available Note

Upper flammability limit Lower Flammability Limit	No information available No information available
Vapor pressure	No information available
Vapor density	No information available
Relative density	1.03 - 1.06
Water solubility	100%
Partition coefficient: n-octanol/wat	erNo information available
Autoignition temperature	No information available
Decomposition temperature	No information available .
Viscosity	No information available
VOC Content (%)	Products comply with US state and federal regulations for VOC content in consumer products.

### **10. STABILITY AND REACTIVITY**

Reactivity	None under normal use conditions.
Stability	Stable under normal conditions.
Hazardous polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.
Conditions to Avoid	None under normal processing.
Incompatible materials	None in particular.

Hazardous Decomposition Products None under normal use conditions.

# **11. TOXICOLOGICAL INFORMATION**

### Product Information

### Information on likely routes of exposure

Inhalation	No known effect.
Skin contact	May cause burns.
Ingestion	No known effect.
Eye contact	Risk of serious damage to eyes.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity	No known effect.
Skin corrosion/irritation	Causes severe burns.
Serious eye damage/eye irritation	Risk of serious damage to eyes.
Skin sensitization	No known effect.
Respiratory sensitization	No known effect.
Germ cell mutagenicity	No known effect.
Neurological Effects	No known effect.
Reproductive toxicity	No known effect.
Developmental toxicity	No known effect.
Teratogenicity	No known effect.
STOT - single exposure	No known effect.
STOT - repeated exposure	No known effect.
Target Organ Effects	No known effect.
Aspiration hazard	No known effect.
Carcinogenicity	No known effect.

### **Component Information**

Chemical Name	CAS-No	Oral LD50	Dermal LD50	Inhalation LC50
Dipropylene Glycol Butoxy Ether	29911-28-2	3700 mg/kg bw (OECD	> 2000 mg/kg bw (OECD	> 2.04 mg/L air (OECD
		401)	402)	403)
2-Aminoethanol	141-43-5	1089 mg/kg bw (//OECD	-	-
		401)		

Benzenesulfonic acid,	28348-53-0	> 7000 mg/kg bw (OECD	> 2000 mg/kg bw (//OECD	> 6.41 mg/L air
(1-methylethyl)-, sodium salt (1:1)		401)	402)	-
Amine oxides, C10-16-alkyldimethyl	70592-80-2	LD50: 1064 mg/kg, bw.	LD50: > 2000 mg/kg, 24	-
		OECD 401. Species: Rat	hours, bw. OECD 402.	
			Species: Rat	

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

The product is not expected to be hazardous to the environment.

Persistence and degradability	No information available.
Bioaccumulative potential	No information available.
Mobility	No information available.
Other adverse effects	No information available.

# **13. DISPOSAL CONSIDERATIONS**

### Waste treatment methods

Waste from Residues/Unused Products	Products covered by this SDS, in their original form, when disposed as waste, are corrosive hazardous waste, D002, according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with local, state and federal regulations.
Contaminated packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.
California Hazardous Waste Codes (non-household setting)	331

# **14. TRANSPORT INFORMATION**

<u>DOT</u>	
UN no	UN3266
UN Proper shipping name	Corrosive liquid, basic, inorganic, n.o.s.
Description	UN3266, Corrosive liquid, basic, inorganic, n.o.s. (2-Aminoethanol, Sodium hydroxide), 8, II
Hazard Class	8
Packing Group	II
Special Provisions	B2, IB2, T11, TP2, TP27
Packaging Exceptions	154
Bulk packaging	242
Non-bulk Packaging	202
Emergency Response Guide	154
Number	
DOT Comment	The shipper is responsible for identifying any exemptions, including Limited Quantity, that
	may apply based on package size
IMDG	
UN Number	UN3266
UN Proper shipping name	Corrosive liquid, basic, inorganic, n.o.s.
Description	UN3266, Corrosive liquid, basic, inorganic, n.o.s.(2-Aminoethanol, Sodium hydroxide), 8, II
Transport hazard class(es)	8
Packing Group	
Special precautions for user	274
EmS-No	F-A, S-B
IMDG Comment	The shipper is responsible for identifying any exemptions, including Limited Quantity, that
	may apply based on package size.

### <u>IATA</u>

UN no	UN3266
UN Proper shipping name	Corrosive liquid, basic, inorganic, n.o.s.
Description	UN3266, Corrosive liquid, basic, inorganic, n.o.s. (2-Aminoethanol, Sodium hydroxide), 8, II
Hazard Class	8
Packing Group	II
ERG Code	8L
Comments	. The shipper is responsible for identifying any exemptions, including Limited Quantity, that may apply based on package size.

# **15. REGULATORY INFORMATION**

### U.S. Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	SARA 313 - Threshold Values %
Phenoxyethanol	122-99-6	1

### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):.

Chemical Name	CAS-No	Hazardous Substances RQs	Extremely Hazardous Substances RQs	CERCLA/SARA 302 TPQ
Sodium hydroxide	1310-73-2	1000 lb	-	

### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following substance(s) which are either listed as hazardous air pollutants (HAPS) or VOC's per the Clean Air Act:

### Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):.

Chemical Name	CAS-No	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide	1310-73-2	1000 lb	-	-	Х

#### California Proposition 65

This product is not subject to warning labeling under California Proposition 65.

### **U.S. State Regulations (RTK)**

Chemical Name	CAS-No	New Jersey
2-Aminoethanol	141-43-5	Х

Chemical Name	CAS-No	Massachusetts
2-Aminoethanol	141-43-5	Х

Chemical Name	CAS-No	Pennsylvania
2-Aminoethanol	141-43-5	Х
Sodium hydroxide	1310-73-2	Х

#### International Inventories

**United States** 

All intentionally-added components of this product(s) are listed on the US TSCA Inventory.

#### Canada

This product is in compliance with CEPA for import by P&G.

#### Legend

United States Toxic Substances Control Act Section 8(b) Inventory (TSCA) **CEPA** - Canadian Environmental Protection Act

<u>HMIS Ratings</u> Health hazard Flammability Physical hazard	2 2 0
<u>NFPA Ratings</u> Health hazard Flammability Instability	2 2 0
Issuing Date: Revision Date: Disclaimer.	12-Feb-2015 14-May-2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS